

- (A)  $f(2) \ge 0$
- (B)  $f'(2) \ge 0$
- (C)  $f'(2) \le 0$
- (D)  $f''(2) \ge 0$
- (E)  $f''(2) \le 0$



86. The vertical line x = 2 is an asymptote for the graph of the function f. Which of the following statements must be false?  $\rightarrow$   $VA \rightarrow \lim_{x \to a} f(x) = \pm \infty$ .


$$(A) \lim_{x \to 2} f(x) = 0$$

(B) 
$$\lim_{x\to 2} f(x) = -\infty$$

(C) 
$$\lim_{x\to 2} f(x) = \infty$$

(D) 
$$\lim_{x\to\infty} f(x) = 2$$

(E) 
$$\lim_{x\to\infty} f(x) = \infty$$



 $\frac{d}{dx} \int_{a}^{x} f(t) dt = f(x)$ 

h'(x) = f(x)

87. The graph of the piecewise linear function f is shown above. Let h be the function given by  $h(x) = \int_{-1}^{x} f(t) dt$ .

h'>0

On which of the following intervals is h increasing?

- (A) [-1, 3]
- (B) [0, 5]
- (C) [2, 5] only
- (D) [2, 9]
- (E) [3, 9] only



88. The first derivative of the function f is given by  $f'(x) = \sin(x^2)$ . At which of the following values of x does

f have a local minimum?

(C) 1.772 (D) 1.253 (E) 0

(A) 2.507

(B) 2.171

y 1 = f'

200M BOX looked for 1st time f'
oppes below to above
F5 zeros



- (A) f is continuous at x = a.
- (B) f is differentiable at x = a.
- (C) For all values of x, f(x) = f(a).
- (D) The line y = f(a) is tangent to the graph of f at x = a.
- (E) The line x = a is a vertical asymptote of the graph of f.


- 90. The temperature F, in degrees Fahrenheit (°F), of a cup of coffee t minutes after it is poured is given by
  - $F(t) = 72 + 118e^{-0.093t}$ . To the nearest degree, what is the average temperature of the coffee between t = 0 and t = 10 minutes?
  - (A) 93°F
  - (B) 119°F
  - (C) 146°F
  - (D) 149°F
  - (E) 154°F
- $\frac{1}{10} \int_{0}^{10} F(4) dt = 148.820$

91. If 
$$f'(x) = \cos(x^2)$$
 and  $f(3) = 7$ , then  $f(2) =$ 


(A) 0.241 (B) 5.831 (C) 6.416 (D) 6.759 (E) 7.241


$$\int_{a}^{3} \int_{a}^{3} \cos x^{2} dx = 7 - f(2)$$


$$f(a) = 7 - \int_{a}^{3} \cos x^{2} dx = (e.759)$$




- 92. The graph of the function h is shown in the figure above. Of the following, which has the greatest value?
  - (A) Average value of h over [-3,2]
  - (B) Average rate of change of h over [-3,2]
  - (C)  $\int_{-3}^{2} h(x) dx$
  - (D)  $\int_{-3}^{0} h(x) dx$
  - (E) h'(0)










- 1. At time t = 0 minutes, a tank contains 100 liters of water. The piecewise-linear graph above shows the rate R(t), in liters per minute, at which water is pumped into the tank during a 55-minute period.
  - (a) Find R'(45). Using appropriate units, explain the meaning of your answer in the context of this problem.

 $R'(45) = \frac{30-0}{35-55} = -\frac{3}{2}$ The rate at which water is pumped into tent
15 developed  $\frac{3}{2}$  L/min/min



(b) How many liters of water have been pumped into the tank from time t = 0 to time t = 55 minutes? Show the work that leads to your answer.

k that leads to your answer.

$$\begin{cases}
SS \\
R(4) at = \frac{1}{2}(10+30)(20) + (30)(15) + \frac{1}{2}(20)(30) \\
0 = 1150
\end{cases}$$

.. 1150 liters

(c) At time t = 10 minutes, water begins draining from the tank at a rate modeled by the function D, where  $D(t) = 10e^{(\sin t)/10}$  liters per minute. Water continues to drain at this rate until time t = 55 minutes. How many liters of water are in the tank at time t = 55 minutes?


 $100 + 1150 - \int_{10}^{55} D(4) dt = 799.725$ :.799.725 liter

(d) Using the functions R and D, determine whether the amount of water in the tank is increasing or decreasing at time t = 45 minutes. Justify your answer.

R(45) = 15

0(45) = 10.888

The water level is increasing because R(45) > D(45).



2. The graph of the equation  $x^2 = -2 + y + 5\cos y$  s shown above for  $y \le 11$ . It is known that  $\frac{dy}{dx} = \frac{2x}{1 - 5\sin y}$ .

The x-coordinate of point P shown on the graph is 2.

(a) Write an equation for the line tangent to the graph at point P.